

LED PAR64 LIGHT

Model: NE-040

User Manual



LED USER MANUAL Model: NE-040

Please read this manual carefully before operating the LED light.

Notes

- 1. This is a LED Product.
- 2. Do not disassemble or repair the system by yourself unless you are qualified in the relevant field of electronics. When there is a problem, please enquire or contact a qualified electrician, or your local dealer.
- 3. Installation should be done by professional technician.
- 4. Do not exposure the system to wet and dust-laden environment.
- 5. Do not touch the system by wet hand and pull the power cable forcefully.
- 6. Do not turn on or off the system frequently, avoid turning on it for long time.
- 7. Prevent strong vibration or G-shock to the system.
- 8. Prevent other harmful objects entering the system.
- 9. Keep at least 1 meter between the system and the objects in the lighting.
- 10. Connect the power cable only when the system has been installed.
- 11. Before connecting or disconnecting the power, adjust the luminance of the light diode as dim as possible to avoid any damage to it.
- 12. Before powering on the system, be sure the power cable is connected into the power socket well.
- 13. Turn off the system for 10 minutes after running constantly for four hours; ensure that the system is able to cool down in a suitable environment.
- 14. When to be transported, use the original package to avoid damage.
- 15. This symbol indicate separate collection for electrical and electronic equipment.

ulletInspection

Check that the following components are present within the package when receiving system - from the list bellow:

1 x LED Par 64

1 x LED User manual

• SKILL SPECIFICATIONS

Parameters	
Voltage:	AC110V-230V 50/60Hz
Electric current:	2A
Power:	30W
Lamp:	Super bright ,Φ10 ,LED lamps
Quantity of Lamp	139pcs (Red 47, Green 46, Blue 46)

• Function

ADDRESS	[ADDRESS CODE SWITCH] to "ON" position				
MODE					
Sound activation mode	9				
DMX mode	1, 10				
	Channels	DMX Value		Effect	
	CH1	0		Off	
		1-153		Control the brightness.	
		154-243		Strobe	
		245-255		All the lamps are on.	
	CH2			Blue	
	СНЗ			Green	
	CH4			Red	
Auto run mode	Effect			Effect	
	ADDRESS to "on"	_			
	1.2.3.9. 1.2.3 4.5.6 7.8		Change by program		
			Blue		
			Green		
			Red		